

### Section 1 – Typical Street Sections

<b>Drawing No.</b>	<u>Description</u>
101	Local
102	Collector with Striped Median
103	Collector with Bike Path
104	Arterial – 4 Lanes Divided
104A	Arterial – 2 Lanes Divided
105	Highway – 4 Lanes Divided
106	Highway – 6 Lanes Divided
107	Local Hillside Paved Road
108	Graded Road
109	Rural Local Street
110	Industrial
111	Local Intersection Design "L" Shape
112	Local Street Cul-de-sac
120	Intersection Design Rural Local Road
121	Driveway Grades






# TYPICAL SECTION

NOTES:

- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD DWG. NO 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240
- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS

39827

BY DATE



REVISED TO REFLECT CURRENT GENERAL PL.

REVISION


No.39827



Town of Uucca Valley

LOCAL -N-8/24/16

STANDARD DRAWING NO.



#### NOTES:

- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD DWG. NO 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240
- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS



APPROVED: DIRECTOR OF PUBLIC WORKS

Alex Dishta Date 11/17/16

APPROVED: TOWN ENGINEER

R.C.E. 39827

REVISED TO REFLECT CURRENT GENERAL PL. -N-8/24/16

REVISION BY DATE

70000 of

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16

1/17/16


1/17/16

1/17/16

1/17/16

1/17/16

1/



#### NOTES:

- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD DWG. NO 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240



- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS
- \*\*\* 14' WIDE SIDEWALK SHALL FUNCTION AS BIKE PATH

APPROVED: DIRECTOR OF PUBLIC WORKS


APPROVED: TOWN ENGINEER

R.C.E. 39827

COLLECTOR
WITH BIKE PATH

REVISION

REVIS



#### NOTES:

- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD. DWG. NO. 200 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240
- (5) MEDIAN CURB PER STD. DWG. NO. 200A
- (6) MEDIAN ISLAND LANDSCAPING PER STD. DWG. NO. 242, 242A AND 242B
- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS

BY DATE



APPROVED: DIRECTOR OF PUBLIC WORKS

APPROVED: TOWN ENGINEER

R.C.E. 39827

REVISED TO REFLECT CURRENT GENERAL PL. -N-8/24/16


REVISION



Town of Yucca Valley

ARTERIAL
(4 LANES DIVIDED)

STANDARD DRAWING NO.



#### NOTES:

- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD. DWG. NO. 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240
- (5) MEDIAN CURB PER STD. DWG. NO. 200A
- (6) MEDIAN ISLAND LANDSCAPING PER STD. DWG. NO. 242, 242A, AND 242B
- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS

BY DATE



APPROVED: DIRECTOR OF PUBLIC WORKS

Alex Dish a DATE 11/17/16

APPROVED: TOWN ENGINEER

R.C.E. 39827

REVISED TO REFLECT CURRENT GENERAL PL. -N-8/24/16

REVISION




Town of Yucca Valley

ARTERIAL
(2 LANES DIVIDED)

STANDARD DRAWING NO.

104A



#### NOTES:

- 1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD. DWG. NO. 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240
- (5) MEDIAN CURB PER STD. DWG. NO. 200A
- (6) MEDIAN ISLAND LANDSCAPING PER STD. DWG. NO. 242, 242A, AND 242B
- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS




REVISION

APPROVED: DIRECTOR OF PUBLIC WORKS  ALEX WISHA DATE !!! TILLE	Town of Yucca Valley
APPROVED: TOWN ENGINEER	The local of the l
R.C.E. 39827	HIGHWAY
REVISED TO REFLECT CURRENT GENERAL PLN-8/24/16	(4 LANES DIVIDED)

BY DATE

(+ LA

STANDARD DRAWING NO.



#### NOTES:

- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD DWG. NO 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240
- (5) MEDIAN CURB PER STD. DWG. NO. 200A
- (6) MEDIAN ISLAND LANDSCAPING PER STD. DWG. NO. 242, 242A AND 242B
- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS

BY DATE



APPROVED: DIRECTOR OF PUBLIC WORKS

APPROVED: TOWN ENGINEER

R.C.E. 39827

REVISED TO REFLECT CURRENT GENERAL PL. -N-8/24/16


REVISION



Town of Yucca Valley

HIGHWAY
(6 LANES DIVIDED)

STANDARD DRAWING NO.




HILLSIDE

#### NOTES:

- STRUCTURAL SECTION OF ROADWAY SHALL BE DETERMINED FROM SOILS TEST AND SO INDICATED ON CONSTRUCTION PLANS.
- 2. CONSTRUCTION OUTSIDE R/W LINE SHALL REQUIRE EASEMENTS.
- 3. SLOPE REQUIREMENT MAY BE VARIED BY SUBMISSION OF SOILS REPORT.
- 4. ENTIRE SECTION MAY BE SLOPED AT 2% (NO CROWN) WITH PRIOR APPROVAL OF THE TOWN ENGINEER.



APPROVED:  APPROVED: TOWN ENGINEER	_ DATE	70000 of Yucca Valley
Freder L. TIOCT	R.C.E. 27943	LOCAL HILLSIDE
		PAVED ROAD
REVISION	BY DATE	STANDARD DRAWING NO. 107




#### NOTES:

- 1. DRAINAGE IMPROVEMENTS TO BE PLACED WHERE REQUIRED.
- 2. EMBANKMENTS PLACED WITHIN AREA OF THE TRAVELED WAY SHALL PROVIDE A STABLE ROADWAY.
- 3. INDICATE AREAS WHERE IMPORTED MATERIAL IS REQUIRED TO PROVIDE A STABLE ROADWAY.
- 4. CONSTRUCTION OUTSIDE R/W LINE SHALL REQUIRE EASEMENTS.
- 5. ENTIRE SECTION MAY BE SLOPED AT 2% (NO CROWN) WITH PRIOR APPROVAL OF THE TOWN ENGINEER.



APPROVED:	DATE	70000 of Uucea Valley
APPROVED: TOWN ENGINEER  Robert K. Hold	R.C.E27943	yacca vacted
		GRADED ROAD
REVISION	BY DATE	STANDARD DRAWING NO. 108





#### NOTES:

- 1. STREET SURFACE (ASPHALT OR DIRT) SHALL BE PER DEVELOPMENT CONDITIONS OF APPROVAL.
- \* 2. INVERTED CROWN MAY BE USED WITH APPROVAL FROM THE TOWN ENGINEER



APPROVED: DIRECTOR OF PUBLIC WORKS  APPROVED: DIRECTOR OF PUBLIC WORKS  DATE 11/11/10	Town of Yucca Valley
APPROVED: TOWN ENGINEER	The same of the sa
No.E. 39827	
REVISED TO REFLECT CURRENT GENERAL PLN-8/24/16	RURAL LOCAL STREET
REVISION BY DATE	STANDARD DRAWING NO. 109





## TYPICAL SECTION


TILT


NOTES:


- (1) CURB AND GUTTER PER STD. DWG. NO. 200
- (2) A.C. DIKE PER STD DWG. NO 202 \*\*
- (3) SIDEWALK PER STD. DWG. NO. 220
- (4) PAVEMENT SECTION PER STD. DWG. NO. 240




- \* SIDEWALK REQUIREMENT PER DEVELOPMENT CODE
- \*\* LIMITED USE, SHORT TERM IMPROVEMENT PROJECTS











### HALF WIDTH CONSTRUCTION

### NOTES:

1. SEE STANDARD NO. 101 FOR ROADWAY SECTIONS.

APPROVED:  APPROVED: TOWN ENGINEER	DATE	70wn of Yucca Valley
Nobel K. Hold	R.C.E. <u>27943</u>	INTERSECTION DESIGN
		RURAL LOCAL ROAD
REVISION	BY DATE	STANDARD DRAWING NO. 120

