

**TOWN OF YUCCA VALLEY  
CONDITIONS OF APPROVAL  
CONDITIONAL USE PERMIT XXXX**

This approval is for Conditional Use Permit XXXX, a request to XXXXX. The project is proposed to be built in up to X phases. The project is located XXXXX.

**GENERAL CONDITIONS**

- G1. The applicant shall agree to defend, indemnify and hold harmless the Town of Yucca Valley, its agents, officers and employees, at his sole expense, against any action, claim or proceedings brought against the Town or its agents, officers or employees, to attack, set aside, void, or annul this approval or because of the issuance of such approval, or in the alternative, to relinquish such approval, in compliance with the Town of Yucca Valley Development Code. The applicant shall reimburse the Town, its agents, officers, or employees for any court costs, and attorney's fees which the Town, its agents, officers or employees may be required by a court to pay as a result of such action. The Town may, at its sole discretion, participate at its own expense in the defense of any such action but such participation shall not relieve applicant of his obligations under this condition. The Town shall promptly notify the applicant of any claim, action or proceedings arising from the Town's approval of this project, and the Town shall cooperate in the defense.
- G2. This Conditional Use Permit shall become null and void if construction has not commenced within three (3) years of the Town of Yucca Valley date of approval. Extensions of time may be granted by the Planning Commission, in conformance with the Town of Yucca Valley Development Code. The applicant is responsible for the initiation of an extension request.

**Approval Date: XXXXXXXXX  
Expiration Date: XXXXXXXXX**

- G3. The applicant shall ascertain and comply with requirements of all State, County, Town and local agencies as are applicable to the project. These include, but are not limited to, County of San Bernardino Environmental Health Services, County of San Bernardino Transportation/Flood Control, County of San Bernardino Fire Department, Yucca Valley Building and Safety, Caltrans, High Desert Water District, Airport Land Use Commission, California Regional Water Quality Control Board, Colorado River Region, the Federal Emergency Management Agency, MDAQMD-Mojave Desert Air Quality Management District, Community Development, Engineering, and all other Town Departments.

---

Division Approvals:  
Engineering \_\_\_\_\_ Building & Safety \_\_\_\_\_ Public Works \_\_\_\_\_

---

- G4. All conditions are continuing conditions. Failure of the applicant to comply with any or all of said conditions at any time may result in the revocation of any construction permits for the project.
- G5. No on-site or off-site work shall commence without obtaining the appropriate permits for the work required by the Town and the appropriate utilities. The approved permits shall be readily available on the job site for inspection by Town personnel.
- G6. The applicant shall pay all fees charged by the Town as required for application processing, plan checking, construction and/or inspections. The fee amounts shall be those which are applicable and in effect at the time work is undertaken and accomplished. Fees for entitlement prior to construction permits are based on estimated costs for similar projects. Additional fees may be incurred, depending upon the specific project. If additional fees for services are incurred, they must be paid prior to any further processing, consideration, or approval(s).
- G7. All improvements shall be inspected by the Town as appropriate. Any work completed without proper inspection may be subject to removal and replacement under proper inspection.
- G8. All refuse shall be removed from the premises in conformance with Yucca Valley Town Code 33.083.
- G9. During construction, the Applicant shall be responsible to sweep public paved roads adjacent to the project as necessary and as requested by the Town to eliminate any site related dirt and debris within the roadways. During business activities, the applicant shall keep the public right-of-way adjacent to the property in a clean and sanitary condition.
- G10. No staging of construction equipment or parking of worker's vehicles shall be allowed within the public right-of-way of streets or other public improvements that have been accepted into the Town's maintained system
- G11. All existing street and property monuments within or abutting this project site shall be preserved consistent with AB 1414. If during construction of onsite or offsite improvements monuments are damaged or destroyed, the applicant shall retain a qualified licensed land surveyor or civil engineer to reset those monuments per Town Standards and file the necessary information with the County Recorder's office as required by law (AB 1414).
- G12. Each phase of the project shall function independently of all other phases. All improvements shall be completed for each phase to ensure that each phase functions separate from the remainder of the project, and shall include, but not be limited to, street improvements, drainage and retention/detention facilities, water delivery systems, fire suppressions systems, post construction erosion and

sediment control systems, all utilities necessary to serve the project, and those improvements deemed necessary by the Town. All phasing plans shall be illustrated on rough and precise grading plans, erosion and sediment control plans, all plan required for obtaining native plant plan approval, and on any other plan as deemed necessary by the Town.

- G13. At least one sign per fronting street shall be posted on the site and must contain the following information: the grading permit number, the project name, map number (if appropriate), the authorized dust controller phone number(s), the Town phone number and the Mojave Desert Air Quality Management District (MDAQMD) phone number. The signs must be obtained and installed by the developer using the sample format to be provided. The signs must be present at the pre-construction meeting or the grading permit will not be issued. The developer must keep the contact name and phone number active and current at all times. Failure of the contact system may be considered grounds for revocation of the permit.
- G14. At the time of permit issuance the applicant shall be responsible for the payment of fees associated with electronic file storage of documents
- G15. The Applicant shall reimburse the Town for the Town's costs incurred in monitoring the developer's compliance with the Conditions of Approval including, but not limited to, inspections and review of developer's operations and activities for compliance with all applicable dust and noise operations. This condition of approval is supplemental and in addition to normal building permit and public improvement permits that may be required pursuant to the Yucca Valley Municipal Code.
- G16. Prior to the issuance of a Certificate of Occupancy for any habitable structure in each phase of the project, all improvements shall be constructed, final inspection performed, punch-list items completed, and all installations approved by the appropriate agency.
- G17. After final plan check by the Town, original mylars (4 mil) shall be submitted to the Town for signature by the Town Engineer. All original mylars submitted for Town Engineer's signature must contain the design engineer's wet signature and stamp and all other required signatures.
- G18. For any import or export of material, the Project proponent shall provide the following for review by the Town Engineer: the route of travel, number of trucks, daily schedule, and length of time required. No hauling of material shall begin without the Town Engineer's approval.
- G19. Prior to any work being performed within the public right-of-way, the Project proponent shall provide the name, address, telephone, facsimile number, and e-mail address of the Contractor to perform the work. A description of the location,

purpose, method of construction, and surface and subsurface area of the proposed work shall be supplied. A plat showing the proposed location and dimensions of the excavation and the facilities to be installed, maintained, or repaired in connection with the excavation, shall be provided and such other details as may be required by the Town Engineer.

- G20. The site shall be developed in accordance with the approved plans on file with the Town of Yucca Valley, in accordance with the Conditions of Approval approved for the project, and in accordance with the General Plan and Development Code. Prior to any use of the project site or business activity being commenced thereon, all Conditions of Approval shall be completed to the satisfaction of the Town.
- G21. Prior to issuances of building permits, all site plans, grading plans, landscape and irrigation plans, drainage/flood control plans, public improvement plans, erosion and sediment control plans, shall be coordinated for consistency with this approval.
- G22. The Town may allow phased construction of the project provided that the improvements necessary to adequately serve or mitigate the impacts of each phase of development are completed prior to the issuance of a Certificate of Occupancy for that phase.
- G23. The applicant or the applicant's successor-in-interest shall be responsible for maintaining any undeveloped portion of the site in a manner that provides for the control of weeds, erosion and dust.
- G24. If archaeological, paleontological or historical resources are uncovered during excavation or construction activities at the project site, work in the affected area will cease immediately and a qualified person with appropriate expertise shall be consulted by the applicant regarding mitigation measures to preserve or record the find. Recommendations by the consultant shall be implemented as deemed necessary and feasible by the Town before work commences in the affected area. If human remains are discovered, work in the affected area shall cease immediately and the County Coroner shall be notified. If it is determined that the remains might be those of a Native American, the California Native American Heritage Commission shall be notified and appropriate measures provided by State law shall be implemented.
- G25. All street dedications shall be irrevocably offered to the public and shall continue in force until the Town accepts or abandons such offers. All dedications shall be free of all encumbrances as approved by the Town Engineer.
- G26. The street design and circulation pattern of this project shall be coordinated with adjoining developments.

- G27. The final conditions of approval issued by the approving authority shall be photographically or electronically placed on bond (blue/black line) paper and included in the Grading and Street Improvement plan sets on 24" x 36" bond (blue/ black line) paper and submitted with the plans for plan check. These conditions of approval shall become part of these plan sets and the approved plans shall be available in the field and during construction. Plan check fees shall not be charged for sheets containing the Conditions of Approval.
- G28. Prior to issuance of a certificate of occupancy, the applicant shall submit all improvement plans on compact disks in digital format acceptable to the Town Engineer.
- G29. Violations of any condition or restriction or prohibition set forth in these conditions, including all approved construction plans, public and private, for this project and subject to the Town's overall project approval and these conditions of approval, shall subject the owner, applicant, developer or contractor(s) to the remedies as noted in the Municipal Code. In addition, the Town Engineer or Building Official may suspend all construction related activities for violation of any condition, restriction or prohibition set forth in these conditions until such time as it has been determined that all operations and activities are in conformance with these conditions.

## **PLANNING CONDITIONS**

- P1. The development of the property shall be in conformance with FEMA and the Town's Floodplain Management Ordinance requirements. Adequate provision shall be made to intercept and conduct the existing tributary drainage flows around or through the site in a manner that will not adversely affect adjacent or downstream properties at the time the site is developed. Protection shall be provided by constructing adequate drainage facilities, including, but not limited to modifying existing facilities or by securing a drainage easement.
- P2. In accordance with Ordinance 169, utility undergrounding shall be required for all new service and distribution lines that provide direct service to the property being developed; existing service and distribution lines that are located within the boundaries being developed; existing service and distribution lines between the street frontage property line and the centerline of the adjacent streets of the property being developed; existing Service and Distribution lines located on adjacent properties along or within 10 feet of the lot lines of the property being developed; or existing service and distribution lines being relocated as a result of a project.
- P3. All exterior lighting shall comply with the Ordinance 90, Outdoor Lighting and shall be illustrated on all construction plans.

- P4. **All mitigation measures identified in the Initial Study and included in the Mitigation Monitoring Program are included as conditions of approval by this reference.**
- P5. A final plan identifying all protected plants as well as a Native Plant Relocation Plan with any area proposed to be disturbed in accordance with the Town's Native Plant Protection Ordinance shall be submitted for approval prior to issuance of any construction permits, including grading and utility installations, for the project. **The applicant shall make every effort to relocate the native plants back onsite. The adoption of native plants shall be consistent with the Native Plant Ordinance in effect at the time of grading permits. The final native plant plan shall be reviewed and approved by the Planning Commission prior to the issuance of any construction permits for the project site.**
- P6. Prior to the issuance of any permits the applicant/owner shall provide three (3) copies of a landscape and irrigation plan showing the size, type and location of all plant and irrigation systems. Said irrigation system shall incorporate a permanent automatic irrigation system, and all landscaping and irrigation systems shall be maintained in good condition at all times. All ground within proposed landscape planter areas shall be provided with approved ground cover. This shall include but not be limited to drought-tolerant plant materials or colored desert rock. The Landscape Plan shall be approved by Hi-Desert Water District. The Landscape and Irrigation review requires a separate application and a current Town fee of \$685. **The final Landscape and Irrigation Plan shall be reviewed and approved by the Planning Commission prior to the issuance of any permits.**

## **ENGINEERING CONDITIONS**

- E1. **Dedicate, or show there exists, sufficient right of way for a "X"-Lane "X" street ("X" right of way and "X" curb to curb) on "X" ("X") per Town of Yucca Valley standard 104.**
- E2. **Construct curb, gutter, and sidewalk "X" feet from centerline on "X" ("X" half) per Town of Yucca Valley Standard Drawing "X" and "X". Any existing pavement on "X" shall be removed and replaced to centerline. Construct a six (6) foot wide sidewalk along "X".**
- E3. **Install "X" street light(s) at the following location per of Yucca Valley Standard Drawing No. 300:**  
**"X"**
- E4. **The Applicant's engineer shall provide a signed and stamped letter certifying that the proposed improvements will not adversely affect the floodway. Pursuant to the Town's Floodplain Ordinance, not causing an adverse affect means the cumulative effect of the proposed development**

**when combined with all other all other existing and anticipated development will not increase the water surface elevation of the base flood one foot or more. As part of the Floodplain Ordinance the Flood Plain Administrator is required to notify state and federal agencies of development within the floodplain if the Base Flood Elevation is changed due to physical alterations. The Applicants engineer shall be responsible to provide backup information, if requested by such state and federal agencies, supporting his certification.**

- E5. Prior to the issuance of a Grading Permit, a Grading Plan prepared by a recognized professional Civil Engineer shall be submitted, and the corresponding fees shall be paid to the Town prior to any grading activity. The rough and precise Grading Plans shall be reviewed and approved by the Town Engineer prior to issuance of grading permits. The applicant/owner is responsible for all fees incurred by the Town. Prior to Certificate of Occupancy, the Engineer-of-Record shall survey and certify that the site grading was completed in substantial conformance with the approved Grading Plans.
- E6. **All manufactured slopes over the height of 3 feet shall be irrigated and landscaped immediately following grading. Prior to issuance of a grading permit for any portion of the site, the applicant/owner shall submit, for review and approval, an irrigation and landscaping plan or other appropriate treatment for all slope areas.**
- E7. The rough grading shall be certified by a civil engineer that it was completed in substantial conformance with the approved rough Grading Plans. Prior to the issuance of any building permits the project Engineer shall certify the finished lot was graded in conformance to approved plans.
- E8. The Engineer-of-Record or other civil engineer shall survey and provide pad certification for the site prior to issuance of building permits.
- E9. Prior to the issuance of Permits, the Applicant shall comply with the recommendations of a site-specific Geotechnical and Soils Report which shall be reviewed and subject to Town approval. The report shall include recommendations for any onsite and offsite grading, foundations, compaction, structures, drainage, and existence of fault zones. It shall include recommendations for retention basins, slope stability and erosion control. The soils engineering report shall include data regarding the nature, distribution and strength of existing soils, conclusions and recommendations for grading procedures and design criteria for corrective measures, when necessary and opinions and recommendation covering the adequacy of sites for development. The report shall identify if the site contains any areas susceptible to landslide risk, liquefaction potential and/or subsidence potential on the project site. The report shall identify and include the location of major geologic features, topography and drainage, distribution and general nature of rock and soils, a reasonable evaluation and prediction of the performance of any proposed cut or fill in relation to geological conditions, and the capability of soils and substrata to support structures.

- E10. All property corners, lots, easements, street centerlines, and curve radii shall be monumented and horizontally tied to identified control points. A copy of the monumentation survey and centerline tie notes shall be provided to the Town Engineer prior to certificate of occupancy.
- E11. All recommended approved measures identified in the Soils Report shall be incorporated into the project design.
- E12. A retention basin **and/or underground storage system** shall be constructed and functional prior to the issuance of certificate of occupancy for the any structure within the project. The applicant shall provide on-site retention for the incrementally larger flows caused by development of the site, pursuant to a final drainage report, subject to review and approval by the Town Engineer.
- E13. A **final** drainage report, prepared by a registered Civil Engineer, shall be prepared to determine the flows exiting the site under current undeveloped conditions compared to the incrementally larger flows due to the development of the site. The retention basin size will be determined, per County of San Bernardino Flood Control methodology, such that incremental 100 year 24-hour storm volume, plus 20%, is retained on-site.
- E14. In lieu of an engineered drainage report the retention basin and/or underground storage system shall be sized to retain 550 cubic feet of storm water for each 1,000 square feet, and increments thereof, of impervious area proposed (structures, driveways, parking areas, etc.).
- E15. Basin(s) shall be designed to fully dissipate storm waters within a 48 hour period.
- E16. A pre-filtration system shall be installed for all drain lines connected to any underground storage system to collect sediment and hydrocarbon material prior to discharge into the underground system.
- E17. Any grading or drainage onto private off-site or adjacent property shall require a written permission to grade and/or a permission to drain letter from the affected property owner.
- E18. In conjunction with precise grading certification, all retention/detention basins shall be certified by a civil engineer that they have been constructed in substantial conformance with the approved plans, and shall be certified that they have the required capacity and will operate in accordance with the approved drainage reports for the project.
- E19. In conjunction with precise grading certification, all drainage systems, both public and private, shall be certified by a civil engineer that they have been constructed in substantial conformance with the approved plans, and shall be certified that they have the required capacity and will operate in accordance with the approved drainage reports for the project.



- E20. No on-site or off-site work shall commence without obtaining the appropriate permits for the work involved from the Town. The approved permits shall be readily available on the job-site for inspection by the Town personnel.
- E21. All grading activities shall minimize dust through compliance with MDAQMD Rules 402 and 403.
- E22. Prior to issuance of a grading permit, a Fugitive Dust and Erosion and Sediment Control Plan shall be submitted and approved by the Town Engineer. The Fugitive Dust and Erosion and Sediment Control Plan shall illustrate all proposed phasing for construction of the project.
- E23. A Notice of Intent to comply with Statewide General Construction Stormwater Permit (Water Quality Order 99-08-DWQ as modified December 2, 2002 or as otherwise updated by the Board) is required for the proposed development via the California Regional Water Quality Control Board (phone no. 760-346-7491). A copy of the executed letter issuing a Waste Discharge Identification number shall be provided to the Town prior to issuance of a grading permit. The Applicant shall comply with NPDES requirements as applicable. The Applicant shall install devices on his property to keep erodible material, rocks, and gravel on the site. To eliminate any site related dirt and debris within the roadways, the Applicant shall be responsible to sweep public paved roads adjacent to the project as necessary and as requested by the Town Staff.
- E24. Prior to any work being performed in the public right-of-way, fees shall be paid and an encroachment permit shall be obtained from the Town. The Applicant shall apply for an encroachment permit from the Town for utility trenching, utility connection, or any other encroachment onto public right-of-way. The Applicant shall be responsible for the associated costs and arrangements with each public utility.
- E25. The Applicant shall restore any pavement cuts required for installation or extension of utilities for his project within the public right-of-way. In all cases where cuts are allowed, the Applicant is required to patch the cuts to Town standards and the approval of the Town Engineer. The patching shall include a grinding of the pavement to a width 4 feet beyond the edge of the trench on each side, or as determined by the Town Engineer, and replacement with a full-depth asphalt concrete recommended by the Soils Engineer.
- E26. In conjunction with the rough grading plan submittal, street plans prepared by a recognized professional Civil Engineer shall be submitted, and the corresponding fees shall be paid to the Town. The final street plans shall be reviewed and approved by the Town Engineer. The applicant/owner is responsible for all fees incurred by the Town. Prior to Certificate of Occupancy, the Engineer-of-Record shall survey and certify that the site grading was completed in substantial conformance with the approved Grading Plans.
- E27. The Applicant shall accept and properly dispose of all off-site drainage flowing onto or through the site.

- E28. The Applicant shall construct the replacement of any identified damaged curb and gutter, sidewalk, drive approach, asphalt concrete pavement, meter boxes, and other infrastructure that may be required by the Town Engineer or another Agency.
- E29. The Applicant shall install all water and sewer systems required to serve the project. All water and sewer systems shall be completed to the requirements of the Hi Desert Water District.
- E30. The Applicant shall observe the construction of this project to make certain that no damage or potential for damage occurs to adjacent roadway, existing improvements, adjacent property and other infrastructure. The applicant shall be responsible for the repair of any damage occurring to offsite infrastructure and/or property damage as determined by the Town Engineer. The applicant shall repair any such damage prior to certificate of occupancy. If the damage is such that it is not repairable within a reasonable amount of time as determined by the Town Engineer, the applicant may petition the Town Engineer for additional conditions that may allow him the time, amount of surety and other requirements to repair the damage.
- E31. The Applicant shall be responsible for all improvements constructed within the public right-of-way as required by the conditions of approval. The improvements shall be constructed to the standards and requirements as determined and approved by the Town Engineer. Any improvements not considered to be to the required standards shall be replaced by the Applicant. The Applicant shall be required to maintain and repair those improvements prior to and after acceptance by the Town Council for the length of time required by the applicable conditions, standards and ordinances.
- E32. All improvement plans shall be designed by a Registered Civil Engineer.
- E33. Any area which remains undeveloped for a period of more than 30 days shall be stabilized using either chemical stabilizers or a desert wildflower mix hydroseed on the affected portion of the site.
- E34. Prior to the issuance of any grading permit to disturb, expose or stockpile an aggregate of more than one acre of land, an erosion and sediment control plan for the project shall be submitted to and approved by the Town Engineer and securities meeting the requirements contained herein shall be posted with the Town. The amount of the security shall be equal to one hundred (100) percent of the total estimated cost of the erosion and sediment control system(s). The permittee's estimate of such cost shall be subject to the review and approval of the Town engineer. The erosion and sediment control security shall be in the form of a Cash Deposit.
- E35. The Applicant shall be responsible for inspection, modification, and proper maintenance of the erosion control devices as necessary. If the Applicant fails or refuses to properly maintain the erosion control devices, the Town official may cause emergency maintenance work to be done in order to protect potentially impacted property. The cost shall be deducted from the erosion control security

posted for the project and shall include all costs related to the emergency maintenance including initial mobilization and performance of the work in addition to applicable administrative costs.

- E36. If the Applicant fails or refuses to properly maintain the erosion control devices, the Town Engineer may cause emergency maintenance work to be done in order to protect potentially impacted property. The cost shall be deducted from the erosion control security posted for the project and shall include all costs related to the emergency maintenance including initial mobilization and performance of the work in addition to applicable administrative costs.
- E37. If construction of erosion control systems outside of the project boundaries is necessary, permission to construct such systems from the owner of such off-site property is required. Plans for the off-site system shall be included with the on-site plans submitted to the Town Engineer. The plans for the off-site erosion control system shall include permission to grade and maintain the erosion control system from all affected property owners and letters of clearance and/or permits from all appropriate governmental entities.
- E38. The Applicant shall submit a post construction erosion and sediment control plan which identifies and illustrates all necessary improvements to prevent the movement and or loss of any soil and sediment materials from the project site, including all individual lots for construction of habitable structures, all slope banks, and all areas of the site capable of resulting in the deposit of soils and sediments with the street or storm drain system. The post construction erosion and sediment improvements shall be certified by a civil engineer that they were constructed in substantial conformance with the approved plans and specifications.
- E37. The septic system shall be maintained so as not to create a public nuisance and shall be serviced by a DEHS permitted pumper. Soil testing for the subsurface disposal system shall meet the requirements of the Department of Environmental Health Services. Applicant shall submit a minimum of three (3) copies of percolation reports for the project site and an appropriate fee to DEHS for review and approval, a copy of the cover sheet with an approval stamp to Building and Safety Division at the time of building permit application, and two (2) copies of the approved percolation report to the Building and Safety Division at the time of construction plan check. The location of the septic system shall be shown on the project grading plans. **It shall be the developer's responsibility to ensure that the location of the septic system and any proposed underground stormwater collection system meet applicable codes related to separation distances.**
- E38. Prior to the approval of the improvements plans, the hydrology study shall show that the 10-year storm flow will be contained within the curb to curb improvements, and the 100-year storm flow shall be contained within the street

right-of-way. When either of these criteria is exceeded, additional drainage facilities shall be installed.

- E39. It is understood that the **Conditional Use Permit** plans correctly shows all existing easements, traveled ways and drainage courses, and that their omission may require the Conditional Use Permit plans to be resubmitted for further consideration.
- E40. Private drainage easements for cross-lot drainage shall be dedicated and delineated on the final map.
- E50. A construction area traffic control plan, including temporary and final permanent striping, shall be designed by a registered Civil Engineer or Traffic Engineer for review and approval by the Town Engineer for any street construction, closure, detour or other disruption to traffic circulation.
- E51. All street closures must be approved by Town Council action.
- E52. The following shall information regarding the presence of the Marine Corps Air Ground Combat Center (MGAGCC) shall be recorded on the title of each property contained within the boundaries of the Conditional Use Permit.
- “The Marine Corps Air Ground Combat Center is located in the Morongo Basin. To prepare Marines for future conflicts, the MGAGCC carries out realistic training with military munitions, both day and night. As a result, Military aircraft fly over the area, and military vehicles drive on and off the base every day. This property is located directly under two aircraft flying routes and is located approximately 13 miles from the installation boundary. Consequently, you should expect to hear military training, see low-flying military aircraft, and encounter other experiences associated with the important mission of the MCAGCC”.
- E53. After final plan check by the Town, original mylars (4 mil) shall be submitted to the Town for signature by the Town Engineer. All original mylars submitted for the Town Engineer’s signature must contain the design engineer’s wet signature and stamp and all other required signatures.
- E54. The project street and lot grading shall be designed in a manner that perpetuates the existing natural drainage patters with respect to tributary drainage area and outlet points. Unless otherwise approved by the Town Engineer, lot lines shall be located at the top of slopes.
- E55. Improvement plans shall be based upon a centerline profile, extending beyond the project boundaries a minimum distance of 300 feet at a grade and alignment approved by the Town Engineer.

## **BUILDING AND SAFETY CONDITIONS**

- B1. Prior to the delivery of combustible materials, the following items shall be accepted as complete:
  - a. The water system is functional from the source of water past the lots on which permits are being requested (i.e. All services are installed, valves are functional and accessible, etc.); and
  - b. Fire hydrants are accepted by the County Fire Department and the Hi Desert Water District. The fire hydrants associated with each phase shall be functioning prior to issuance of building permits.
- B2. The applicant shall submit three sets of plans to the Building and Safety Dept. for plan check and approval.
- B3. At the time of building plan check submittal, the applicant shall provide approval from the San Bernardino County Fire Dept.
- B4. Prior to final inspection, all required improvements shall be constructed and finalized and accepted by the appropriate agency prior to the issuance of a Certificate of Occupancy.

## **Fire Conditions**

- F1. Prior to any construction occurring on any parcel, the applicant shall contact the Fire Department for verification of current fire protection requirements. All new construction shall comply with the current Uniform Fire Code requirements and all applicable statutes, codes, ordinances and standards of the Fire Department.
- F2. Prior to any land disturbance, the water systems shall be designed to meet the required fire flow for this development and shall be approved by the Fire Department. The required fire flow shall be determined by using Appendix IIIA of the Uniform Fire Code (Standard 903.1). The fire flow for this project shall be:
  - 1,500GPM for 2 hour duration at 20PSI residual operating pressure, based upon a 3,600 square foot structure.
- F3. The Applicant shall be responsible for all fees required by San Bernardino County Fire Department.
- F4. The Development shall have a minimum of two points of vehicular access. These are for fire/emergency equipment access and evacuation routes.
- F5. All buildings shall have access provided by approved roads, alleys and private drives with a minimum twenty six (26) foot unobstructed width and vertically to fourteen (14) feet six (6) inches in height. Other recognized standards may be more restrictive by requiring wider access provisions.

- F6. Not less than 2 complete sets of Building Plans shall be submitted to the Fire Department for review and approval.
- F7. An approved turnaround shall be provided at the end of each roadway one hundred and fifty (150) feet or more in length. Cul-de-sac length shall not exceed six hundred (600) feet; all roadways shall not exceed a 12% grade and have a minimum of forty five (45) foot radius for all turns. In FS1, FS2 or FS3 Fire Safety Overlay District areas, there are additional requirements.
- F8. The applicant shall provide the Fire Department with a letter from the serving water company, certifying that the required water improvements have been made or that the existing fire hydrants and water system will meet distance and fire flow requirements. Fire flow water supply shall be in place prior to placing combustible materials on the job-site.
- F9. An automatic fire sprinkler system complying with NFPA Pamphlet #13 and the Fire Department standards is required. The applicant shall hire a Fire Department approved fire sprinkler contractor. The fire sprinkler contractor shall submit three (3) sets of detailed plans to the Fire Department for review and approval. The plans (minimum 1/8" scale) shall include hydraulic calculations and manufactures specification sheets. The contractor shall submit plans showing type of storage and use with the applicable protection system. The required fees shall be paid at the time of plan submittal.

**Mojave Desert Air Quality Management District Condition**

- M1. A "Notification of Demolition/Renovation" application must be completed and submitted to the District pursuant to Health and Safety Code Section 19827.5 for the demolition of any load bearing wall or foundation.

I HEREBY CERTIFY THAT THE APPROVED CONDITIONS OF APPROVAL WILL BE SATISFIED PRIOR TO OR AT THE TIMEFRAMES SPECIFIED AS SHOWN ABOVE. I UNDERSTAND THAT FAILURE TO SATISFY ANY ONE OF THESE CONDITIONS WILL PROHIBIT THE ISSUANCE OF ANY PERMIT OR ANY FINAL MAP APPROVAL.

Applicant's Signature \_\_\_\_\_ Date \_\_\_\_\_